

MOSSES, LIVERWORTS, LICHENS AND FUNGI OBSERVED ON MILNER BIOBLITZ,  
BY TERRY TAYLOR, LARRY WILLIAMS AND ADRIAN LIMPUS.

APRIL 22, 2017.

MOSSES:

|  |                         |
|--|-------------------------|
| <i>Antitrichia curtipendula</i>                                      | hanging moss            |
| <i>Atrichum selwynii</i>   | crane's bill moss       |
| <i>Barbula cylindrica</i> ( <i>Didymodon insulanus</i> )             |                         |
| <i>Barbula vinealis</i>  |                         |
| <i>Bryum bicolor</i>   |                         |
| <i>Bryum capillare</i>   |                         |
| <i>Calliergonella cuspidata</i>                                      | spear moss              |
| <i>Ceratodon purpureus</i>   | red roof moss           |
| <i>Claopodium crispifolium</i>                                       | rough moss              |
| <i>Dicranella heteromalla</i>  |                         |
| <i>Dicranum fuscescens</i>   |                         |
| <i>Dicranum scoparium</i>  | broom moss              |
| <i>Dicranum tauricum</i> ( <i>Orthodicranum strictum</i> )           |                         |
| <i>Fissidens limbatus</i> ( <i>F. crispus</i> , <i>F. bryoides</i> ) |                         |
| <i>Homalothecium fulgescens</i>                                      | yellow moss             |
| <i>Homalothecium nuttallii</i>                                       |                         |
| <i>Hylocomium splendens</i>  | step moss               |
| <i>Hypnum circinale</i>  | coiled leaf moss        |
| <i>Isothecium myosuroides</i> ( <i>I. stoloniferum</i> )             | cat tail moss           |
| <i>Kindbergia oregana</i> ( <i>Eurhynchium oreganum</i> )            | Oregon beaked moss      |
| <i>Kindbergia praelonga</i> ( <i>Eurhynchium praelongum</i> )        | slender beaked moss     |
| <i>Leptobryum pyriforme</i>  |                         |
| <i>Leucolepis acanthoneuron</i> ( <i>L. menziesii</i> )              | Menzies' tree moss      |
| <i>Mnium spinulosum</i>  | red mouthed mnium       |
| <i>Orhotrichum consimile</i>   |                         |
| <i>Orthotrichum lyellii</i> ( <i>O. papillosum</i> )                 | Lyell's bristle moss    |
| <i>Plagiomnium insigne</i> ( <i>Mnium insigne</i> )                  | badge moss              |
| <i>Plagiothecium undulatum</i> ( <i>Buckiella undulata</i> )         | wavy leaved cotton moss |
| <i>Pohlia</i> sp. (possibly <i>P. annotina</i> )                     |                         |
| <i>Pseudotaxiphyllum elegans</i> ( <i>Isopterygium elegans</i> )     | small leaf moss         |
| <i>Rhizomnium glabrescens</i> ( <i>Mnium glabrescens</i> )           | Fan moss                |
| <i>Rhytidadelphus loreus</i>   | lanky moss              |
| <i>Rhytidadelphus squarrosus</i>                                     | bent leaf moss          |
| <i>Rhytidadelphus triquetrus</i>                                     | shaggy moss             |
| <i>Rhytidopsis robusta</i>   | pipe cleaner moss       |
| <i>Tortula muralis</i>   |                         |
| <i>Zygodon rupestris</i> ( <i>Z. vulgaris</i> )                      |                         |

LIVERWORTS:

|  |                        |
|--|------------------------|
| <i>Calypogeia azurea</i> ( <i>C. trichomanis</i> )                               |                        |
| <i>Cephalozia bicuspidata</i>  |                        |
| <i>Frullania nisquallensis</i> ( <i>F. tamarisci</i> var. <i>nisquallensis</i> ) |                        |
| <i>Lepidozia reptans</i>   | little hands liverwort |
| <i>Lophocolea cuspidata</i>  |                        |
| <i>Lunularia cruciata</i>  |                        |

*Plagiochila poreloides* (P. *asplenoides*)  
*Scapania bolanderi*

ladle liverwort

LICHENS:

|                                    |                       |
|------------------------------------|-----------------------|
| <i>Chrysothrix</i> sp.             | a dust lichen         |
| <i>Cladonia fimbriata</i>          | trumpet lichen        |
| <i>Cladonia macilenta</i>          |                       |
| <i>Evernia prunastri</i>           | oak moss lichen       |
| <i>Graphis scripta</i>             | script lichen         |
| <i>Lepraria</i> sp.                | a dust lichen         |
| <i>Lobaria pulmonaria</i>          | lungwort lichen       |
| <i>Melanelia</i> sp.               | camouflage lichen     |
| <i>Ochrolechia laevigata</i>       | saucer lichen         |
| <i>Parmelia sulcata</i>            | shield lichen         |
| <i>Peltigera collina</i>           |                       |
| <i>Peltigera membranacea</i>       | membranous dog lichen |
| <i>Pertusaria amara</i>            | bitter wart lichen    |
| <i>Pertusaria subambigens</i>      |                       |
| <i>Platismatia herrei</i>          | tattered rag lichen   |
| <i>Platismatia glauca</i>          | rag bag lichen        |
| <i>Ramalina farinacea</i>          |                       |
| <i>Thelotrema lepadinum</i>        | bark barnacle lichen  |
| <i>Usnea filipendula</i>           |                       |
| <i>Usnea subfloridana</i>          |                       |
| <i>Xanthoparmelia cumberlandia</i> |                       |

FUNGI:

|  |                                 |
|--|---------------------------------|
| <i>Albatrellus hirtus</i> ( <i>Scutiger hirtus</i> )                           |                                 |
| <i>Coccomyces dentatus</i>   | on old Oregon grape leaves      |
| <i>Conocybe filaris</i>  |                                 |
| <i>Dasyphyllum bicolor</i>   | on salmonberry stem             |
| <i>Didymascella thujina</i> ( <i>Keithia thujina</i> )                         | cedar leaf cast                 |
| <i>Fomitopsis pinicola</i>   | red belt conk                   |
| <i>Fuligo septica</i>  | scrambled egg slime mold        |
| <i>Ganoderma applanatum</i>  | artist conk                     |
| <i>Ganoderma oregonense</i> ( <i>G. tsugae</i> )                               | Oregon reishi                   |
| <i>Heterotextus luteus</i>   | top jelly fungus                |
| <i>Lichenomphalia umbellifera</i> ( <i>Omphalina ericetorum</i> )              | lichen mushroom                 |
| <i>Marasmiellus candidus</i> ( <i>Marasmius candidus</i> )                     |                                 |
| <i>Multiclavula mucida</i>   | on green algae on a log         |
| <i>Mycena</i> sp. (possibly <i>M. rubromarginata</i> )                         |                                 |
| <i>Mycena</i> sp.  | dye polypore                    |
| <i>Phaeolus schweinitzii</i>   | deer mushroom                   |
| <i>Pluteus cervinus</i> s.l. (either <i>P. eximius</i> , or <i>P. primus</i> ) | a rust infection on huckleberry |
| <i>Pucciniastrum goeppertianum</i> ( <i>Calypella goeppertiana</i> )           | a black fungus on resin         |
| <i>Sarea resinae</i> ( <i>Biatorella resinae</i> )                             |                                 |
| <i>Steccherinum ochraceum</i>  | parchment fungus                |
| <i>Stereum</i> sp.   | turkey tail                     |
| <i>Trametes versicolor</i>   |                                 |

